

PREFABRICATED

Healthier living in a welcoming home



## Introduction

## **QUALITY** from the north.



company that specialises in producing and assembling prefabricated homes with timber structures. All our homes are built in accordance with European standards. We build in Norway, Italy, Germany, Switzerland,

> All our houses can be adapted to meet your requirements - sometimes considerably so. Our designers will support you all the way from the initial concept to execution



#### **INDEX**

02 • Introduction	13 • Supplying and assembling lofts
04 • Why choose us?	14 • Exposed beam ceiling
05 • How do we build and assemble?	15 • Windows
06 • General Features	16 • Transport and Assembly
08 • Main Features	18 • Portal Frame Roof Supply
09 • Thermal Insulation	19 • Norges Hus team Hungary
10 • External Wall Supplies	20 • Production
12 • Internal Wall Supplies	22 • Current Projects

### With Norges Hus Nova OÜ you can build the house you always dreamed

Our houses are modern and functional. Our projects also include commercial and public buildings, such as shops, offices and clinics.

We continually strive to create functional homes that are modern, environmentally friendly, and above all competitively priced.



**NORGES HUS** 

NORGES HUS



www.norgeshus.ee

We believe it is possible to build strong, highquality houses that meet the needs of our customers and quality standards at affordable

Every house is designed with care, skill, experience and impeccable quality.


The external walls and roof are designed to guarantee that thermal loss is kept to a minimum. This keeps the house warm and welcoming come wind, rain or snow. All the materials used to build our houses come from internationally certified manufacturers. We only use high quality natural timber.

The timber structure of our homes has been designed to withstand all climatic conditions, in accordance with construction building practices. We only use high quality solid timber.

We create healthy, efficient and environmentally friendly homes with our winning combination of quality materials and expertise. With more than ten years of experience in building prefabricated houses, Norges Hus has all the skills required to deliver superior quality products and satisfy its clients.

#### **REASONS FOR CHOOSING A** PREFABRICATED TIMBER HOME:

- They have better earthquake resistance than traditional houses because timber withstands stress and is flexible
- They offer a high level of energy savings
- With a good price to quality ratio, they offer greater value for money
- The construction period is significantly shorter
- They are fire resistant. In the event of fire only the first layer burns. This means there is no risk of structural collapse
- They have larger useable floor space
- They do not require any more maintenance than traditional homes
- There is less waste, and the construction site is cleaner



HOW DO WE BUILD

AND ASSEMBLE?

We are equipped with the very best precision machinery supplied by leading European manufacturers. However, we still place a great deal of importance on doing things by hand. This means that you can expect the utmost attention to detail and quality of the highest level.

All materials are strictly CE marked and sourced from the best European production firms.

All components of the house are loaded onto 40 t lorries inside the production facility to protect them from rain or snow.



#### **ASSEMBLY**

On site assembly of the timber structure is performed using a 30 t crane.



#### **TEAM**

A four person team can assemble a house in 7-14 days.



#### **CLIENTS**

Clients obtain a high-quality dry timber structure, which, during the initial stages, can be modified internally.

#### **DELIVERY**

The delivery and assembly of the house components is understood to be PRE-FINISHED.

#### WINDOWS

All windows and French window doors are triple glazed with a double void and Class S mouldings. In addition, they have a particularly high level of thermal radiation resistance (12GJ/m2).

## EXPOSED BEAM CEILINGS

The exposed beam ceiling supplied has a heat transfer coefficient equal to: U = 0.18 W/m2.

#### WALLS

The load-bearing external wall structure is framed and finished with a wood fibre coating with a thermal insulation coefficient of:  $U = 0.120 \text{ W/m}^2$ 

#### **WARRANTY**

The structures are guaranteed for ten years.








## Main Features


#### **ENERGY RATING**


A virtually passive building with an energy rating of A+ or higher.

#### OVERALL AND BUILDING ENERGY PERFORMANCE

The cross section shows the overall non-renewable energy performance of the building and of the energy sources available, in addition to the building's energy performance, net of the production of the equipment in situ.








#### **ACOUSTIC RATING**


#### Class 1

#### ACOUSTIC CLASS FORECAST FOR THE PROPERTY UNIT: I









#### THERMAL INSULATION

Sheet: MR1

#### THERMAL AND HYGROMETRIC PROPERTIES OF THE OPAQUE COMPONENTS

Structure Code:

MEU=0.133


Description of Structure: EXTERNAL PERIMETER CAVITY WALL MADE FROM A PLASTERBOARD PANEL, OSB/3, MINERAL WOOL, PE FILM, VAPOUR BARRIER, AIR CAVITY, RENDERED EXTERNAL

N°	LAYER DESCRIPTION (outwards from the inside)	s [mm]	lambda [W/mK]	C [W/m²K]	M.S. [kg/m²]	P<50x10 <sup>12</sup> [kg/msPa]	C.S. [J/kgK]	R [m²k/W]
1	Internal facings	0		7.700			0	0.130
2	Plasterboard sheet	12	0.210	17.500	10.80	23.000	1000	0.057
3	STEICO wood fibre panels - ms. 160	12	0.038	3.167	1.92	38.600	2100	0.316
4	Wood wool panels with non-organic binders – mv 500	50	0.109	2.184	25.00	50.000	1500	0.458
5	Synthetic material film	2	0.230	115.000	2.20	0.010	900	0.009
6	Wood wool panels with non-organic binders – mv 500	220	0.109	0.496	110.00	50.000	1500	2.015
7	3 cm vertical air layer	30	0.167	5.553	0.04	193.000	1008	0.180
8	STEICO wood fibre panels - ms. 160	30	0.038	1.267	4.80	38.600	2100	0.789
9	External render Specific Heat 1000 J/kgK	10	0.900	90.000	18.00	8.500	1000	0.011
10	External facings	0		25.000			0	0.040


RESISTANCE = 4.005 m2K/W		TRANSMITTANCE = 0.250 W/m2K
THICKNESS = 366 MM	THERMAL AIR CAPACITY (int) = 22.674 kJ/m2K	SURFACE MASS = 155 kg/m2
PERIODIC THERMAL TRANSMITTANCE = 0.01 W/m2K	ATTENUATION FACTOR = 0.04	OFFSET = 18.78 h
FRSI TEMPERATURE FACTOR = 0.7942		

 $S = Layer\ thickness; lambda = Material\ thermal\ conductivity; C = conduction\ per\ unit\ ; M.S. = Surface\ mass; P<50*1012 = Vapour\ permeability\ with\ relative\ humidity\ up\ to\ 50\%; C.S. = Specific\ Heat; R = Thermal\ resistance\ of\ individual\ layers; Resistance\ - Transmittance\ = Actual\ resistance\ and\ transmittance\ values\ ; Surface\ Mass\ = Value\ calculated\ as\ set\ out\ in\ Appendix\ A\ of\ Law\ Decree\ 192/05\ as\ amended.$ 

#### STRUCTURAL LAYERING



### PRESSURE DIAGRAMS



	Ti [°C]	Psi [Pa]	Pri [Pa]	URi [%]	Te [°C]	Pse [Pa]	Pre [Pa]	URe [%]
PRESSURE DIAGRAMS	20.0	2 337	1 168	50.0	-5.6	380	148	38.9

Ti = Internal Temperature; Psi = Internal saturation temperature; Pri = Relative internal temperature; Uri = Relative internal humidity; Te = External temperature; Pse = External saturation temperature; Pre = Relative external temperature; Ure = Relative external humidity

## **External Wall Supply**

**OUR EXTERNAL WALL SUPPLY AND ASSEMBLY SERVICE INCLUDES:** 

### Building details for external perimeter walls


**EXTERNAL LOAD-BEARING WALLS WITH RENDER FINISHES** 

- Insulated external walls: wall height 2500mm possible wall height up to 3000mm
- Wooden cladding UYVk 21×145 Spruce AB horizontal
- 30x45mm ventilation lath
- Wind barrier TYVEK
- Timber construction C24 / 45x195mm with 600mm interval
- 200mm insulation (200mm rock wool ROCKWOOL / SUPERROCK)
- Vapor barrier 0,2mm
- BITUMEN ICOPAL 300mm hydro insulation



NORGES HUS





10



## OUR INTERNAL WALL SUPPLY AND ASSEMBLY SERVICE INCLUDES:

Wall frames with 45 mm thick C24 timber uprights of varying widths (45×95/120/145mm).

### CONSTRUCTION DETAILS OF INTERNAL PARTITION WALLS



Beam dim. 45x100

12.5 mm thick plasterboard panels
Base for paintwork and plaster skim


Descrizione		Descrizione			
Nome C24 Tipologia del materiale legyro Tipo Legro massicido Deceranore:		None 0.24M Topologia del materiale legno Topologia del materiale Dectation:			
Caratteristiche del legno		Caretteristiche del legno			
Resistenza caratteristica media a flessione firik : 24,0 N/mm² Resistenza caratteristica a trazione perpendici di are 130k : 0,5 N/mm² Resistenza caratteristica a compressi, perpendicolare fc90k : 2,5 N/mm²	Resistenza caratteristica a trazione parallela fiók: 14,0 N/mm² Resistenza caratteristica a compressione parallela fiok: 21,0 N/mm² Resistenza caratteristica a taglio fi⁄k: 2,5 N/mm²	Resistenza caratteristica media a flessione finik : 24,0 Mmm² Resistenza caratteristica a trazione perpendiciolare f30k: 0,4 N/mm² Resistenza caratteristica a compress, perpendicolare fc90k: 2,7 N/mm²	Resistenza caratteristica a trazione parallela ft0k: 16,5 N.inm² Resistenza caratteristica a compressione parallela ftok: 24,0 N/mm² Resistenza caratteristica a taglio fvk: 2,7 N/mm²		
Modulo Elastico parallelo medio E0m : 11.000 N/mm² Modulo Elastico parallelo caratterístico E0.05 : 7.400 N/mm²	Modulo Elastico perpendicolare medio E90m : 370 N/mm² Modulo Elastico tangenziale medio Gm : 690 N/mm²	Modulo Elastico paralleto medio E0m : 11.600 N/mm² Modulo Elastico paralleto caratteristico E0.05 : 9.400 N/mm²	Modulo Elastico perpendicolare medio E90m : 390 N/mm² Modulo Elastico tangenziare medio Gm : 720 N/mm²		

Supplying and assembling lofts

(FOR TWO STOREY HOMES ONLY)

OUR LOFT SUPPLY AND ASSEMBLY SERVICE (FOR TWO STOREY HOMES ONLY) INCLUDES:

Ceiling construction is made of 240 mm thick timber beams at intervals that vary depending on the structural calculations.




NORGES HUS

## EXPOSED BEAM CEILING


## WINDOWS



- White PVC or a colour selected from our catalogue
- Triple glazing with double void
- S Class mouldings
- Thermal radiation resistance coefficient equal to 12 GJ/m<sup>2</sup>
- Heat transfer coefficients
   Uw value = up to 0.50 W/(m²K)
   Uf value = 0.95 W/(m²K)



- Tongue-and-groove wooden flooring dimensions: 20 mm x 115 mm or plasterboard at the client's request:
- Riwega DO 135 0.5 mm thick waterproof breathable membrane
- 150 mm thick mineral wool thermal insulation
- 44 mm x 140 mm planks
- 12 mm thick OSB panels
- Riwega DO 135 0.5mm thick waterproof breathable membrane
- 25 mm x 50 mm battens, fixed lengthways to the underside of the joists, with Riwega USB Tip KONT continuous seal.










### NORGES HUS

## Transport and Assembly



### WE DO NOT SUPPLY THE FOLLOWING SO THEY SHOULD BE ARRANGED BY THE CLIENT:

- Cranes
- Raft foundations
- Scaffolding and portable ladders
- Window and perimeter wall infills prior to rendering
- If access to the building site with an articulated lorry is impossible, then transport from the closest loading location within reachable distance of the site should be arranged by the client
- Board and lodging for the assembly team for the entire duration of assembly
- Site waste removal
- Anything that is not specifically mentioned in the sections stated in this proposal



## Portal Frame Roof Supply


OUR CURRENT SUPPLY SERVICE PORTAL FRAME FOR ROOF CONSTRUCTION INCLUDES:

- 30x45mm roof ventilation lath
- Roofing foil SILVER
- Load-bearing portal frame with beams in accordance with the structural calculations
- Roof sides overlap 600mm

(doesn't include canopies, awnings, posts, columns and other protruding parts)












20

NORGES HUS













# Projects in progress











#### Norges Hus Nova OÜ



+372 661 7381

info@norgeshus.ee

www.norgeshus.ee

Healthier living in a welcoming home